Neuroscience Letters, 95 (1988) 365–369
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abreu, P., Hernandez, G., Calzadilla, C.H. and Alonso, R., Reproductive hormones control striatal tyrosine hydroxylase activity in the male rat, 213
Akagi, H. and Miledi, R., Expression of glycine and other amino acid receptors by rat spinal cord mRNA in *Xenopus* oocytes, 262
Allen, Y.S., Marchbanks, R.M. and Sinden, J.D., Non-specific effects of the putative cholinergic neurotoxin ethylcholine mustard aziridinium ion in the rat brain examined by authoradiography, immunocytochemistry and gel electrophoresis, 69
Alley, K.E., see Rosenthal, B.M., 53
Alonso, R., see Abreu, P., 213
Anderson, E.G., see Glaum, S.R., 313
Armstrong, D.M., see Shiromani, P.J., 19

Barthó, L., Naloxone-precipitated contractions of the guinea pig ileum made tolerant to a synthetic opioid peptide: evidence against the involvement of capsaicin-sensitive neurones, 198
Benjannet, S., see Marcinkiewicz, M., 81
Bjugn, R., Haugland, H.K., Hunskar, S., Rosland, J.H., Broch, O.J. and Flood, P.R., Pharmacological manipulation with the descending serotonergic system or transection of the mouse spinal cord has no effect on ependymal ultrastructure, 291
Blok, B.F., see Holstege, G., 97
Bolander, H.G., see Hillered, L., 286
Broch, O.J., see Bjugn, R., 291
Broderick, P.A., Distinguishing in vitro electrochemical signatures for norepinephrine and dopamine, 275
Brooks, A., see Mason, R., 296
Butchey, J.K., see Wilson, J.X., 354

Calne, D.B., see Wolters, E.Ch., 257
Calzadilla, C.H., see Abreu, P., 213
Carstens, E., Stelzer, B. and Zimmermann, M., Microinjections of glutamate or morphine at coincident midbrain sites have different effects on nociceptive dorsal horn neurons in the rat, 185
Carstens, E., see Fu, Q.-G., 192
Caverson, M.M. and Ciriello, J., Renal and cardiovascular afferent inputs to hypothalamic paraventriculo-spinal neurons, 167
Chase, T.N., see Engber, T.M., 269
Chen, Q., see Peng, H.B., 75
Chihara, K., see Hisano, S., 13
Chrétien, M., see Marcinkiewicz, M., 81
Chung, K. and Lee, W.T., Vasoactive intestinal polypeptide (VIP) immunoreactivity in the ependymal cells of the rat spinal cord, 1
Ciriello, J., see Caverson, M.M., 167
Costentin, J., see Leroux-Nicollet, I., 7
Cuénod, M., see Klein, A.U., 359

Daikoku, S., see Hisano, S., 13
Davidoff, R.A., see Holohean, A.M., 173
Deshpande, A.A., see Wilson, J.X., 354
D'Este, L., see Vallarino, M., 119
DiPette, D.J., Westlund, K.N. and Holland, O.B., Dietary calcium modulates spinal cord content of calcitonin gene-related peptide in the rat, 335
Dietz, V., see Horstmann, G.A., 179
Dunwiddie, T.V. and Su, M.-T., Pertussis toxin pretreatment antagonizes the actions of μ- and δ-opiate agonists in hippocampal slices, 329
Dutton, G.R., see Philibert, R.A., 323

Engber, T.M. and Chase, T.N., Dextromethorphan does not protect against quinolinic acid neurotoxicity in rat striatum, 269
Estrada, E., see Rosenberg, G.A., 241

Falgueyret, J.P., see Marcinkiewicz, M., 81
Fischer-Colbrie, R., see Marcinkiewicz, M., 81
Flood, P.R., see Bjugn, R., 291
Forbes, M.E., see Maxwell, G.D., 64
Franceschini, N., see Picaud, S., 24
Fu, Q.-G., Carstens, E., Stelzer, B. and Zimmermann, M., B vitamins suppress spinal dorsal horn nociceptive neurons in the cat, 192

Geffard, M., see Kitahama, K., 47
Geffard, M., see Okamura, H., 42
Geffard, M., see Okamura, H., 347
Gillin, J.C., see Shiromani, P.J., 19
Glaum, S.R., Proudfit, H.K. and Anderson, E.G., Reversal of the antinociceptive effects of intrathecally administered serotonin in the rat by a selective 5-HT_3 receptor antagonist, 313
Greenberg, D.A. and Marks, S.S., Cation interactions with putative NMDA receptor-gated channels labeled by [^{3}H]MK-801 in rat cerebral cor-

0304-3940/88/$ 03.50 © 1988 Elsevier Scientific Publishers Ireland Ltd.

tex, 236
Guttman, M., see Wolters, E.Ch., 257

Hackman, J.C., see Holohean, A.M., 173
Hallström, Å., see Hillered, L., 286
Hanashima, N., see Kamogawa, H., 149
Haugland, H.K., see Bjugn, R., 291
Hernandez, G., see Abreu, P., 213
Hillered, L., Persson, L., Bolander, H.G., Hallström, A. and Ungerstedt, U., Increased extracellular levels of ascorbate in the striatum after middle cerebral artery occlusion in the rat monitored by intracerebral microdialysis, 286
Hisano, S., Kagotani, Y., Tsuruo, Y., Daikoku, S., Chihara, K. and Whitnall, M.H., Localization of glucocorticoid receptor in neuropeptide Y-containing neurons in the arcuate nucleus of the rat hypothalamus, 13
Holland, O.B., see DiPette, D.J., 335
Holman, G.M., see Yamamoto, D., 137
Holohean, A.M., Vega, J.L., Hackman, J.C. and Davidoff, R.A., Excitatory transmitters, ventral root potentials and $[K^+]_o$ in the isolated frog leg-spinal cord preparation, 173
Holstege, G., Blok, B.F. and Ralston, D.D., Anatomical evidence for red nucleus projections to motoneuronal cell groups in the spinal cord of the monkey, 97
Holstege, G., see Ralston, D.D., 102
Horstmann, G.A. and Dietz, V., The contribution of vestibular input to the stabilization of human posture: a new experimental approach, 179
Hunskår, S., see Bjugn, R., 291

Ibata, Y., see Okamura, H., 42
Ichinose, H., see Naoi, M., 229
Imura, H., see Niwa, M., 113
Imura, H., see Yamada, I., 223
Ishikawa, S., see Yamamoto, D., 137
Itoh, H., see Yamada, I., 223
Iwashita, S., see Song, S.-Y., 143

Jouvet, M., see Kitahama, K., 47
Jouvet, M., see Okamura, H., 42

Kagaya, K., see Kamogawa, H., 149
Kagotani, Y., see Hisano, S., 13
Kamogawa, H., Hanashima, N., Naito, K. and Kagaya, K., Candidate interneurons mediating peripherally evoked disynaptic inhibition of masseter motoneurons of both sides, 149
Kangawa, K., see Yamada, I., 223
Kataoka, Y., see Niwa, M., 113
Kawai, N., Saito, M. and Ohsako, S., Differential expression of glutamate receptors in *Xenopus* oocytes injected with messenger RNA from lobster muscle, 203
Kawamura, H., see Omata, K., 218
Kebabian, J.C., see Wolters, E.Ch., 257
Keef, K.D. and Kreulen, D.L., Convergence of noncholinergic afferent neurons in the inferior mesenteric ganglion of the guinea pig, 161
Kisara, K., see Sakurada, T., 281
Kita, H., see Nakanishi, H., 130
Kitahama, K., Mons, N., Okamura, H., Jouvet, M. and Geffard, M., Endogenous L-DOPA, its immunoreactivity in neurons of midbrain and its projection fields in the cat, 47
Kitahama, K., see Okamura, H., 42
Kitahama, K., see Okamura, H., 347
Kitai, S.T., see Nakanishi, H., 130
Kitao, Y., see Moriizumi, T., 125
Klein, A.U., Niederoest, B., Winterhalter, K.H., Cuénod, M. and Streit, P., A kainate binding protein in pigeon cerebellum: purification and localization by monoclonal antibody, 359
Konishi, S., see Song, S.-Y., 143
Kreulen, D.L., see Keef, K.D., 161
Kucera, J. and Walro, J.M., The effect of neonatal deafferentation or deefferentation on the immunocytochemistry of muscle spindles in the rat, 88
Kudo, M., see Moriizumi, T., 125
Kurihara, M., see Niwa, M., 113
Kuwahara, H., see Sakurada, T., 281
Kyner, W.T., see Rosenberg, G.A., 241

Lazure, C., see Marcinkiewicz, M., 81
Lee, W.T., see Chung, K., 1
Leroux-Nicollet, I. and Costentin, J., In vivo and in vitro autoradiographic labelling of central dopaminergic systems with [^{3}H]GBR12783 in rodents, 7

Maeda, T., see Niwa, M., 113
Magnusson, T., see Pileblad, E., 302
Mak, E., see Wolters, E.Ch., 257
Marchbanks, R.M., see Allen, Y.S., 69
Marcinkiewicz, M., Fischer-Colbrie, R., Falgueyret, J.P., Benjannet, S., Seidah, N.G., Lazure, C., Winkler, H. and Chrétien, M., Two-dimensional immunoblotting analysis and immunocytochemical localization of the secretory polypeptide 7B2 in adrenal medulla, 81
Marks, S.S., see Greenberg, D.A., 236

Mason, R. and Brooks, A., The electrophysiological effects of melatonin and a putative melatonin antagonist (*N*-acetyltryptamine) on rat suprachiasmatic neurones in vitro, 296
Matsuo, H., see Niwa, M., 113
Matsuo, H., see Yamada, I., 223
Maxwell, G.D. and Forbes, M.E., Adrenergic development of neural crest cells grown in a defined medium under a reconstituted basement-membrane-like matrix, 64
McGeer, E.G., see Zhu, S.G., 252
McGeer, P.L., see Zhu, S.G., 252
Miledi, R., see Akagi, H., 262
Miller, D.B., see Reinhard, J.F. Jr., 246
Milroy, A.M., see Ralston, D.D., 102
Minamino, N., see Yamada, I., 223
Mons, N., see Kitahama, K., 47
Mons, N., see Okamura, H., 42
Moriizumi, T., Nakamura, Y., Tokuno, H., Kudo, M. and Kitao, Y., Convergence of afferent fibers from the entopenduncular nucleus and the substantia nigra pars reticulata onto single neurons in the ventromedial thalamic nucleus: an electron microscope study in the cat, 125

Nachman, R.J., see Yamamoto, D., 137
Nagatsu, I., see Naoi, M., 229
Nagatsu, I., see Okamura, H., 347
Nagatsu, T., see Naoi, M., 229
Naito, K., see Kamogawa, H., 149
Nakamura, Y., see Moriizumi, T., 125
Nakanishi, H., Kita, H. and Kitai, S.T., An *N*-methyl-D-aspartate receptor mediated excitatory postsynaptic potential evoked in subthalamic neurons in an in vitro slice preparation of the rat, 130
Nakao, K., see Niwa, M., 113
Nakao, K., see Yamada, I., 223
Naoi, M., Ichinose, H., Takahashi, T., Nagatsu, I. and Nagatsu, T., Reduction of aromatic L-amino acid decarboxylase activity in clonal pheochromocytoma PC12h cells by culture in the presence of *N*-methyl-4-phenylpyridinium ion (MPP^+), 229
Niederoest, B., see Klein, A.U., 359
Niwa, M., Shigematsu, K., Kurihara, M., Kataoka, Y., Maeda, T., Nakao, K., Imura, H., Matsuo, H., Tsuchiyama, H. and Ozaki, M., Receptor autoradiographic evidence of specific brain natriuretic peptide binding sites in the porcine subfornical organ, 113
Noguchi, K., see Song, S.-Y., 143

Nothias, F., Onteniente, B., Roudier, F. and Peschanski, M., Immunocytochemical study of serotoninergic and noradrenergic innervation of the ventrobasal complex of the rat thalamus, 59

O'Callaghan, J.P., see Reinhard, J.F. Jr., 246
Ohsako, S., see Kawai, N., 203
Ojima, H., Sakurai, T., and Yamasaki, T., Changes in choline acetyltransferase immunoreactivity and the number of immunoreactive fibers remaining after lesions to the magnocellular basal nucleus of rats, 31
Okamura, H., Kitahama, K., Mons, N., Ibata, Y., Jouvet, M. and Geffard, M., L-DOPA-immunoreactive neurons in the rat hypothalamic tuberal region, 42
Okamura, H., Kitahama, K., Nagatsu, I. and Geffard, M., Comparative topography of dopamine- and tyrosine hydroxylase-immunoreactive neurons in the rat arcuate nucleus, 347
Okamura, H., see Kitahama, K., 47
Omata, K., and Kawamura, H., Effects of methamphetamine upon circadian rhythms in multiple unit activity inside and outside the suprachiasmatic nucleus in the golden hamster (*Mesocricetus auratus*), 218
Onteniente, B., see Nothias, F., 59
Ottonello, I., see Vallarino, M., 119
Ozaki, M., see Niwa, M., 113

Pate, B.D., see Wolters, E.Ch., 257
Peng, H.B. and Chen, Q., Localization of calcitonin gene-related peptide (CGRP) at a neuronal nicotinic synapse, 75
Peroutka, S.J., see Pierce, P.A., 208
Persson, L., see Hillered, L., 286
Peschanski, M., see Nothias, F., 59
Philibert, R.A. and Dutton, G.R., Phorbol ester and dibutyryl cyclic AMP reduce content and efflux of taurine in primary cerebellar astrocytes in culture, 323
Picaud, S., Wunderer, H.J. and Franceshini, N., 'Photo-degeneration' of neurones after extracellular dye application, 24
Pierce, P.A. and Peroutka, S.J., Ring-substituted amphetamine interactions with neurotransmitter receptor binding sites in human cortex, 208
Pileblad, E. and Magnusson, T., Marked reduction of rat brain glutathione following intracerebroventricular administration of the glutathione synthesis inhibitor L-buthionine sulfoximine, 302

Proudfit, H.K., see Glaum, S.R., 313

Ralston, D.D., Milroy, A.M. and Holstege, G., Ultrastructural evidence for direct monosynaptic rubrospinal connections of motoneurons in *Macaca mulatta*, 102
Ralston, D.D., see Holstege, G., 97
Reinhard, J.F. Jr., Miller, D.B. and O'Callaghan, J.P., The neurotoxicant MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine) increases glial fibrillary acidic protein and decreases dopamine levels of the mouse striatum: evidence for glial response to injury, 246
Renda, T., see Vallarino, M., 119
Rosenberg, G.A., Estrada, E. and Kyner, W.T., The effect of arginine vasopressin and V_1 receptor antagonist on brain water in cat, 241
Rosenthal, B.M. and Alley, K.E., Trigeminal motoneurons in frogs develop a new dendritic field during metamorphosis, 53
Rosland, J.H., see Bjugn, R., 291
Roudier, F., see Nothias, F., 59

Saito, M., see Kawai, N., 203
Sakurada, S., see Sakurada, T., 281
Sakurada, T., Kuwahara, H., Takahashi, K., Sakurada, S., Kisara, K. and Terenius, L., Substance P(1–7) antagonizes substance P-induced aversive behaviour in mice, 281
Sakurai, T., see Ojima, H., 31
Seidah, N.G., see Marcinkiewicz, M., 81
Shigematsu, K., see Niwa, M., 113
Shiromani, P.J., Armstrong, D.M. and Gillin, J.C., Cholinergic neurons from the dorsolateral pons project to the medial pons: a WGA-HRP and choline acetyltransferase immunohistochemical study, 19
Shivakami, G., see Yamada, I., 223
Sinden, J.D., see Allen, Y.S., 69
Singh, E.A., see Zhu, S.G., 252
Sinton, C.M., Cholecystokinin modulates neurotransmission through the dentate gyrus, 341
Small, D.H., Serum acetylcholinesterase possesses trypsin-like and carboxypeptidase B-like activity, 307
Song, S.-Y., Iwashita, S., Noguchi, K. and Konishi, S., Inositol trisphosphate-linked calcium mobilization couples substance P receptors to conductance increase in a rat pancreatic acinar cell line, 143
Steinbusch, H.W.M., see Van Luijtelaar, M.G.P.A., 93
Stelzer, B., see Carstens, E., 185
Stelzer, B., see Fu, Q.-G., 192
Streit, P., see Klein, A.U., 359
Su, M.-T., see Dunwiddie, T.V., 329

Takahashi, K., see Sakurada, T., 281
Takahashi, T., see Naoi, M., 229
Terenius, L., see Sakurada, T., 281
Thalmann, R.H., Blockade of a late inhibitory postsynaptic potential in hippocampal CA3 neurons in vitro reveals a late depolarizing potential that is augmented by pentobarbital, 155
Tiligada, E. and Wilson, J.F., Ion and ion channel involvement in α-melanocyte-stimulating hormone secretion from superfused slices of rat hypothalamus, 318
Tillet, Y., Adrenergic neurons in sheep brain demonstrated by immunohistochemistry with antibodies to phenylethanolamine *N*-methyltransferase (PNMT) and dopamine-β-hydroxylase (DBH): absence of the C_1 cell group in the sheep brain, 107
Tokuno, H., see Moriizumi, T., 125
Tonnaer, J.A.D.M., see Van Luijtelaar, M.G.P.A., 93
Tsuchiyama, H., see Niwa, M., 113
Tsuruo, Y., see Hisano, S., 13

Ungerstedt, U., see Hillered, L., 286

Vallarino, M., Ottonello, I., D'Este, L. and Renda, T., Sauvagine/urotensin I-like immunoreactivity in the brain of the dogfish, *Scyliorhinus canicula*, 119
Van Luijtelaar, M.G.P.A., Steinbusch, H.W.M. and Tonnaer, J.A.D.M., Aberrant morphology of serotonergic fibers in the forebrain of the aged cat, 93
Vega, J.L., see Holohean, A.M., 173

Walro, J.M., see Kucera, J., 88
Westlund, K.N., see DiPette, D.J., 335
Whitnall, M.H., see Hisano, S., 13
Wilson, J.F., see Tiligada, E., 318
Wilson, J.X., Butchey, J.K. and Deshpande, A.A., Chicken gonadotropin-releasing hormone II increases plasma catecholamines in the bullfrog, 354
Winkler, H., see Marcinkiewicz, M., 81
Winterhalter, K.H., see Klein, A.U., 359
Wolters, E.Ch., Kebabian, J.C., Guttman, M., Mak, E., Pate, B.D. and Calne, D.B., A new de-

vice for the quantitative assessment of dopaminergic drug effects in unilateral MPTP-lesioned monkeys, 257
Wunderer, H.J., see Picaud, S., 24

Yamada, I., Nakao, K., Itoh, H., Shivakami, G., Kangawa, K., Minamino, N., Matsuo, H. and Imura, H., Intracerebroventricular injection of brain natriuretic peptide inhibits vasopressin secretion in conscious rats, 223
Yamamoto, D., Ishikawa, S., Holman, G.M. and Nachman, R.J., Leucomyosuppressin, a novel insect neuropeptide, inhibits evoked transmitter release at the mealworm neuromuscular junction, 137
Yamasaki, T., see Ojima, H., 31
Yang, C.-Y., see Yazulla, S., 37
Yazulla, S. and Yang, C.-Y., Colocalization of GABA and glycine immunoreactivities in subset of retinal neurons in tiger salamander, 37

Zhu, S.G., McGeer, E.G., Singh, E.A. and McGeer, P.L., Tetrahydroaminoacridine potentiates neurotoxicity of quinolinic acid in rat striatum, 252
Zimmermann, M., see Carstens, E., 185
Zimmermann, M., see Fu, Q.-G., 192